

# NFR 240



Wear Your Attitude

## TECHNICAL CHARACTERISTICS

Composition	100% Cotton
Weave	Twill
Weight	240 GSM ( $\pm 5\%$ )

Parameters	Test Procedure	Warp	Weft
Tensile Strength	EN ISO 13934-1	590 N	310 N
Tear Strength	EN ISO 13937-2	17.2 N	13.2 N
Dimensional Stability	EN ISO 6330 6N-F	$\pm 3\%$	$\pm 3\%$

### CARE INSTRUCTIONS



Standards	Parameters	Result
Against Light	EN ISO 105 B02	3 - 4
Rubbing Dry	EN ISO 105 X12	3 - 4
Rubbing Wet	EN ISO 105 X12	2 - 3
Washing 60°C	EN ISO 105 C06	3 - 4
Washing 60°C Staining	EN ISO 105 C06	3
Pilling	ISO 12945-1 – 18000 Revolutions	2 - 3
Abrasion	ISO 12947-2 – 18000 Cycles	No Thread breakage